

# MasterStick

The ultimate Carpigiani technology for Ice Cream cakes, sticks,frozen dessert pastries, and premium shakes.











**Performance** MasterStick is specially designed for filling molds for lce Cream cakes, pastry molds & premium lce Cream pop molds as well as premium shakes. The specialized machine can accommodate and heat-treat most mixtures ranging from dairy, fruit, powdered and water-based ingredients.

MASTER

**Convenience** Fill molds with the utmost freedom of movement using the hose and portioning pistol.

**Savings** Broaden the product offering by adding frozen cakes, pastries, and shakes. Greatly reduce labor intensive production times. Maintain the upmost quality with high-over run desserts and shakes.

**Safety** Heated cleaning of the cylinder to simplify cleaning operations. Dispensing assembly is made with insulated, anti-condensation material (explain benefit of this). Optional Teorema: monitoring and diagnosis via the internet for easier assistance.

**Hygiene** Automatic heat-treatment system to sanitize all parts of the machine that come in contact with the product. Entire production process from heat-treatment to freezing is done inside the same machine. Optional quick attach water sprayer to wash machine.








## carpigiani.com/us



# MasterStick





	AIR				
Weights	lbs	s. I	kgs.		
Net	31	9	145		
Crated	38	1	173		
	cu.	ft. c	cu. m.		
Volume	30.3	37 (	0.86		
Dimensions	in		cm.		
Width	20	)	51		
Depth	29.	6	75		
Height	35.	6	90		
Electrical	Maximum Fuse Size	Minimum Circuit Ampacity	Poles (P) Wires (W)		
208-230/60/3 Air	20A	15A	3P, 3W		

### **Specifications**

#### **Electrical**

A dedicated electrical connection is required. Manufactured to be permanently connected. See the Electrical chart for the proper electrical requirements. Consult your local Carpigiani distributor for cord & receptacle specifications as local codes allow.

#### Beater Motor 0,5 HP

#### **Refrigeration System** R404A

#### Air Cooled \*

Minimum clearance:  $2^{"}$  (5 cm) on both side panels and  $0^{"}$  (0 cm) from the rear panel for proper air circulation.

#### **Cylinder Capacity**

12 quarts (11,36 liters)

All specifications mentioned must be considered approximate; Carpigiani reserves the right to modify, without notice, all parts deemed necessary. This unit may be manufactured in other electrical characteristics and may have additional regulatory agency approvals, please consult the local Carpigiani Distributor. Check name plate for exact electrical data. \* Room temperature 68°F (20°C).

Bidding Spe	cs									
Electrical	Volt	Hz	Ph	Neutral	🖵 Yes	🛛 No	Cooling	🗅 Air	Water	
Options										
					(					
	2	700 0 11								
CARPIG	IANI	High Point, N		, Suite 113	Dealer					
		Toll free (800	) 648 4389							
$\frown$			$\frown$	$\frown$						
	GEĽA		UNIVERSIT	RY FROZEN DESSE	RT				isioni co.	
-CARPIGIANI	GELATO MUSEUM Og		— CARPIGIANI —	CARPIGIANI				carp	oigiani.coi	n/us

an Ali Group Company

